## VOC 含量試驗報告



BIAXIS NEO CO., LTD. FAO Mr. William Chang. 1 FL, No. 30, Lane 54, Section 2 Academia Road Taipei TAIWAN

Your ref. William Chang

Our ref. WR/AB

This letter is written by Winfried Rook

Telephone

Date

+49(0)821/4802-221

21.11.2008

## **VOC value of KEIM Optil white**

Dear William,

We refer to our previous exchanges regarding the VOC levels of various KEIM products you are marketing in Taiwan. We have in the meantime accomplished all the tests and calculations necessary for a classification of our products according to the Directive 2004/42/EG on the limitation of emissions of volatile organic compounds (Decopaint Directive).

The calculations based on the ingredients of the product as well as the analytical verification of the product according to DIN EN ISO 11890-2 (gas chromatography) result in the following classification of the product KEIM Optil white:

Matt interior coating for mineral-based substrates. The product contains < 8 g/l VOC.

The EU'limit value for this product (Cat. A/a) is: 75 g/l (2007) / 30 g/l (2010)

Trusting to have been of assistance we remain with

Best regards,

KEIMFARBEN & m HH & Co. KG

Keimstraße 16 86420 Diedorf Tel. 0821 4802-0 Fax 0821 4802-210 Frederik-Ipsen-Straße 6 15926 Luckau

Tel. 035456 676-0 Fax 035456 676-38 www.keimfarben.de

info@keimfarben.de